

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	563	select\$4 same (list near3 (network\$2 bluetooth utran wlan utms)) same (connect\$4 establish\$4 (quality near3 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:41
S2	24206205	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:36
S3	520	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
S4	86149	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:36
S5	49	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
S6	6	select\$4 same (list near3 bearer\$2) same (connect\$4 establish\$4 (quality near3 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:50
S7	9	(determin\$4 select\$4) same (list near3 bearer\$2) same (connect\$4 establish\$4 (quality near3 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:51
S8	5	(determin\$4) same (list near3 bearer\$2) same (connect\$4 establish\$4 (quality near3 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:21
S9	481	(determin\$4) same (list near3 network\$2) same (connect\$4 establish\$4 (quality near3 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:22
S10	469	(determin\$4) same (list near3 network\$2) same (connect\$4 establish\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:23

S11	146	(determin\$4) same (list near3 network\$2) same (connect\$4 establish\$4) same (stor\$4 sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:22
S12	130	S2 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:22
S13	12	(automatic\$4 near3 (determin\$4 select\$4)) same (list near3 network\$2) same (connect\$4 establish\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:14
S14	46	(automatic\$4 near3 (determin\$4 select\$4)) same (list near3 network\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:25
S15	28	(determin\$4 select\$4) same (list near3 network\$2) same caller\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:34
S16	5941	(network\$2 bearer\$2) same correspond\$4 same (name user\$2 number) same (sav\$4 stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:36
S17	1046	(network\$2 bearer\$2) with correspond\$4 with (name user\$2 number) with (sav\$4 stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:42
S18	24207825	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:36
S19	86287	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:36
S20	70608	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:37

S21	980	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:37
S22	64	S17 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:37
S23	109	((id address) near3 (network\$2 bearer\$2)) same (name user\$2 number) same (sav\$4 stor\$4) same (mobile near2 station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:04
S24	106	S18 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:44
S25	150	((id address) near3 (network\$2 bearer\$2)) same (name user\$2 number) same (sav\$4 stor\$4) same (establish\$4 connect\$4) same ((list different) near3 (network\$2 bearer\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:20
S26	139	S18 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:06
S27	2	"20040243684"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:21
S28	2	"6119003".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:23
S29	2	"20050003822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:23